



Application Number

IDS Flag Clearance for Application

**IDS
Information**

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	05-13-2004	15	<input checked="" type="checkbox"/>	08-19-2004 17:06:03 dscott
M844	05-19-2004	16	<input checked="" type="checkbox"/>	08-19-2004 17:06:39 dscott
M844	12-13-2004	21	<input checked="" type="checkbox"/>	01-16-2005 15:15:48 kduncan
M844	06-03-2005	28	<input checked="" type="checkbox"/>	06-15-2005 17:23:19 ajenkins
M844	04-03-2006	47	<input checked="" type="checkbox"/>	04-03-2006 14:43:52 jrobertson

	Type	Hits	Search Text	DBs
1	BRS	1	(light (receiv\$5 or inciden\$5) (surface or plane)) and (light emit\$5 (surface or plane)) and (flexible circuit board) and (point light sources) and (flexible (compound or filler))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1	(light emit\$5 (surface or plane)) and (flexible circuit board) and (point light sources) and (flexible (compound or filler))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1	(flexible circuit board) and (point light sources) and (flexible (compound or filler))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	10	cleaver-mark-j.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	9	("5607227" "5820246" "6183104" "6354714" "6361186" "6517224" "6530164" "6676284" "6874924").PN.	US-PGPUB; USPAT; USOCR
6	BRS	0	("6948828").URPN.	USPAT
7	BRS	812068	((light emit\$5 diod\$4) or "LED") or (point light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	963	S7 and (flex\$6 circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	125	flexible with ((rod like) with ((illuminat\$6 device or apparatus) or lamp or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	2	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	149432	flexible with (((illuminat\$6 device or apparatus) or lamp or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	381	S7 and S8 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	7529586	((((illuminat\$6 device or apparatus) or lamp or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	872	S7 and S8 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	643724	(polyurethane or silicone or silicone rubber) or (flexible compound)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	180	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	1	S13 and flexibel and ((rod like) or rope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	65	S13 and flexibel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
19	BRS	839	S13 and flexible and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	836	S13 and flexible and S8 and (circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	139	S13 and flexible and S8 and (circuit board) and (rope or rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	18	("20020027778" "20020027780" "20020071276" "20030090910" "5155669" "5485355" "5552971" "5711594" "5871271" "5879069" "5911493" "6082867" "6179440" "6379190" "6394623" "6394626" "6406166" "6580228").PN.	US-PGPUB; USPAT; USOCR
23	BRS	0	("6846094").URPN.	USPAT
24	BRS	15	("3931887" "4020337" "4107767" "4521839" "4607317" "4665470" "4812956" "4885664" "5057981" "5074251" "5882742" "5934792" "5941626" "5964518" "6076938").PN.	US-PGPUB; USPAT; USOCR
25	BRS	11	("6394623").URPN.	USPAT
26	BRS	741	S13 and (flexible (circuit board)) and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	530	S13 and (flexible (circuit board)) and S8 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	194	S13 and (flexible (circuit board)) and S8 and @ad < "20030204" and (strip or rod or rope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	226	(flexible (circuit board)) and S8 and @ad < "20030204" and (strip or rod or rope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	32	S29 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	285	S8 and @ad < "20030204" and (strip or rod or rope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	91	S31 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	59	S32 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	9	("4298869" "4591954" "4774434" "5062027" "5211466" "5272602" "5700080" "5865529" "6158882").PN.	US-PGPUB; USPAT; USOCR
35	BRS	11	("6371637").URPN.	USPAT
36	IS&R	1	("6406166").PN.	USPAT
37	BRS	4	("4994944" "5315160" "5854541" "5957564").PN.	US-PGPUB; USPAT; USOCR
38	BRS	7	("6406166").URPN.	USPAT

	Type	Hits	Search Text	DBs
39	BRS	18	("20020027778" "20020027780" "20020071276" "20030090910" "5155669" "5485355" "5552971" "5711594" "5871271" "5879069" "5911493" "6082867" "6179440" "6379190" "6394623" "6394626" "6406166" "6580228").PN.	US-PGPUB; USPAT; USOCR
40	BRS	0	("6846094").URPN.	USPAT
41	BRS	2	("4812956" "5934792").PN.	US-PGPUB; USPAT; USOCR
42	BRS	1	("6379190").URPN.	USPAT
43	BRS	13	"6371637"	USPAT
44	IS&R	1	("6371637").PN.	USPAT
45	BRS	9	("4298869" "4591954" "4774434" "5062027" "5211466" "5272602" "5700080" "5865529" "6158882").PN.	US-PGPUB; USPAT; USOCR
46	BRS	11	("6371637").URPN.	USPAT
47	IS&R	1	("6874924").PN.	USPAT
48	BRS	58	("4111520" "4298869" "4376946" "4597033" "4607317" "4767172" "4785567" "4891896" "4976057" "4996632" "5057981" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5416679" "5459955" "5475786" "5497440" "5526236" "5537297" "5588236" "5613751" "5618096" "5640792" "5694513" "5842297" "5876107" "5879076" "5887968" "5921652" "5934792" "5950340" "5964518" "5996263" "6023869" "6042248" "6065846" "6076294" "6079838" "6095673" "6123442" "6146006" "6158882" "6186645" "6193385" "6204899" "6283612" "6354714" "6361186" "6394623" "6404131" "6488397" "6676284").PN.	US-PGPUB; USPAT; USOCR
49	IS&R	2	((("5890790") or ("6874924")).PN.	USPAT

	Type	Hits	Search Text	DBs
50	BRS	58	("4111520" "4298869" "4376946" "4597033" "4607317" "4767172" "4785567" "4891896" "4976057" "4996632" "5057981" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5416679" "5459955" "5475786" "5497440" "5526236" "5537297" "5588236" "5613751" "5618096" "5640792" "5694513" "5842297" "5876107" "5879076" "5887968" "5921652" "5934792" "5950340" "5964518" "5996263" "6023869" "6042248" "6065846" "6076294" "6079838" "6095673" "6123442" "6146006" "6158882" "6186645" "6193385" "6204899" "6283612" "6354714" "6361186" "6394623" "6404131" "6488397" "6676284").PN.	US-PGPUB; USPAT; USOCR
51	BRS	10	("5607227" or "6874924" or "6406166" or "6371637" or "6796680" or "6851832" or "6846094" or "6676284" or "4908743" or "6871981").pn.	USPAT
52	BRS	6	("5130909" or "4607317" or "5057981" or "6193385" or "6158882" or "5964518").pn.	USPAT
53	BRS	3	(flexible circuit board) and S53	USPAT
54	BRS	16	S51 or S52	USPAT
55	BRS	13	flexible and S53	USPAT
56	BRS	1	flex\$6 and "6676284".pn.	USPAT
57	BRS	9	("3949350" "4267489" "5128843" "5420482" "5559681" "5570525" "5613763" "6211626" "6361186").PN.	US-PGPUB; USPAT; USOCR
58	BRS	4	("6676284").URPN.	USPAT
59	BRS	36028	((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	1129	S59 and ((air bubbles) or (micro balloons))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	BRS	661	S60 and (lamp or light or (rod-like light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	812168	((light emit\$5 diod\$4) or "LED") or (point light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	BRS	827	S62 and (flexible circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	BRS	1	S61 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	1981	S62 and (flexible circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
66	BRS	2	S61 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	BRS	124	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	BRS	93	S67 and @ad < "20030403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	1	S59 and (impregnat\$4 ((air bubbles) or (micro balloons))) ,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	IS&R	1	("4195907").PN.	USPAT
71	BRS	8	("2815607" "3516239" "3535018" "3653739" "3767910").PN.	US-PGPUB; USPAT; USOCR
72	BRS	34	("4195907").URPN.	USPAT
73	BRS	1	S59 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	17	S59 and ((impregnat\$4 or embed\$\$) with ((air bubbles) or (micro balloons)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	BRS	7	S74 and (lamp or light or (rod-like light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	BRS	35	S59 and ((impregnat\$4 or embed\$\$) with ((bubbles) or (micro balloons)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	BRS	19	S76 and (lamp or light or (rod-like light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	BRS	16	S77 and @ad < "20030403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
79	BRS	76	("3822706" "3877437" "3910261" "4155358" "4220162" "4234907" "4248245" "4293189" "4485822" "4560883" "4693556" "4754372" "4761047" "4777963" "4822335" "4831024" "4907132" "4911166" "5005108" "5069220" "5069222" "5074632" "5136480" "5140027" "5140220" "5169395" "5196005" "5219346" "5231684" "5259380" "5278432" "5293875" "5301090" "5339223" "5363458" "5383469" "5400425" "5426635" "5445608" "5454794" "5500009" "5505726" "5536265" "5549660" "5591219" "5613751" "5616140" "5618096" "5634711" "5695583" "5698866" "5728090" "5762867" "5792214" "5800478" "5800479" "5824023" "5824024" "5830211" "5835648" "5849027" "5857761" "5865529" "5876107" "5876427" "5892261" "5908415" "5913883" "5919217" "5921652" "5944748" "5957960" "6045575" "6063108" "6096066" "D279926").PN.	US-PGPUB; USPAT; USOCR
80	BRS	13	("6290713").URPN.	USPAT
81	BRS	5	S62 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	BRS	9	S59 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons) or void))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	1	S61 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons) or void))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	BRS	1	S61 and ((impregnat\$4 or embed\$\$) ((bubbles) or (micro balloons) or void))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	BRS	141	S61 and (void)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	BRS	0	S61 and ((impregnat\$4 or embed\$\$) void)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	BRS	8	S59 and ((impregnat\$4 or embed\$\$) void)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	643767	((polyurethane or silicone or silicone rubber) or (flexible compound))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	1	((polyurethane or silicone or silicone rubber) or (flexible compound)) and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
90	BRS	1	S88 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	BRS	33171	S88 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	BRS	1	S88 and S62 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	BRS	812168	((light emit\$5 diod\$4) or "LED") or (point light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	BRS	6187	(flexible circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	BRS	36028	((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	BRS	887	((impregnat\$4 or embed\$\$) ((bubbles) or (micro balloons) or void))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	BRS	1605	362/555,189,225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	BRS	909	S97 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	BRS	7805	362/217,495,544,545,103-106,108,133,134,152,198,219,222,224,227,240,326,327.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	BRS	3727	S99 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	BRS	0	S98 and S93 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	BRS	4	S98 and S93 and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	BRS	9314	(point light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	BRS	39	S98 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
105	BRS	394	S98 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	BRS	138	S98 and S93 and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
107	BRS	0	S106 not S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
108	BRS	256	S105 not S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
109	BRS	624	S99 and S93 and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	BRS	470	S100 and S93 and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
111	BRS	426	S110 not S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
112	BRS	426	S111 not S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	BRS	46	S112 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
114	BRS	9080	362/235,236,249,278,310,311,329,800,806,812.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
115	BRS	4751	S114 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
116	BRS	812168	((light emit\$5 diod\$4) or "LED") or (point light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
117	BRS	6187	(flexible circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
118	BRS	36028	((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
119	BRS	4751	S114 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
120	BRS	827	S116 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
121	BRS	13	S116 and S117 and S118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
122	BRS	60	S115 and S116 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
123	BRS	3367	385/123,125.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
124	BRS	2843	S123 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
125	BRS	36028	((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
126	BRS	812168	((light emit\$5 diod\$4) or "LED") or (point light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
127	BRS	6187	(flexible circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
128	BRS	5	S124 and S125 and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
129	BRS	71	S124 and S126 and flex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
130	BRS	2	"771714".ap.	US-PGPUB
131	BRS	0	"61165583"	JPO; DERWENT
132	BRS	0	JP-61165583-\$.did.	JPO; DERWENT
133	BRS	36	("20020093832" "4111520" "4195907" "4298869" "4376946" "4422719" "4597033" "4607317" "4767172" "4785567" "4891896" "4908743" "4976057" "4996632" "5057981" "5140220" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5459955" "5475786" "5497440" "5526236" "5559681" "5613751" "5982969" "6582103" "6676284" "6676284" "6796680" "6846094" "6851832").PN.	US-PGPUB; USPAT
134	BRS	44	("2815607" "3516239" "3535018" "3653739" "3767910").PN. OR ("4195907").URPN.	US-PGPUB; USPAT; USOCR
135	BRS	19	(micro (bubbles or baloons)) and (light (guide or pipe or rod or ((fiber ot fibre) optic\$4)))	US-PGPUB; USPAT; USOCR
136	IS&R	1	("4811507").PN.	USPAT
137	BRS	58	("3043947" "3241256" "3328570" "4373282" "4621306").PN. OR ("4811507").URPN.	US-PGPUB; USPAT; USOCR
138	BRS	58	("3043947" "3241256" "3328570" "4373282" "4621306").PN. OR ("4811507").URPN.	US-PGPUB; USPAT; USOCR
139	BRS	37	(micro (bubbles or baloons)) and (light (guide or pipe or rod or ((fiber ot fibre) optic\$4) or plate or substrate))	US-PGPUB; USPAT; USOCR
140	BRS	18	S139 not S135	US-PGPUB; USPAT; USOCR
141	BRS	73	(micro (bubbles or baloons)) and (light (reflect\$5 or defract\$5 or dispers\$5))	US-PGPUB; USPAT; USOCR
142	BRS	37	(micro (bubbles or baloons)) and (light (guide or pipe or rod or ((fiber ot fibre) optic\$4) or plate or substrate or panel))	US-PGPUB; USPAT; USOCR
143	BRS	0	S142 not S139	US-PGPUB; USPAT; USOCR
144	BRS	7	"6676284"	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
145	BRS	71	("20030095399" "20030123245" "20030198049" "20040012956" "20050169002" "20050231950" "4111520" "4141058" "4298869" "4376946" "4422719" "4597033" "4607317" "4767172" "4785567" "4891896" "4976057" "4996632" "5057981" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5416679" "5418384" "5459955" "5475786" "5497440" "5526236" "5537297" "5588236" "5613751" "5618096" "5640792" "5694513" "5820246" "5842297" "5876107" "5879076" "5887968" "5913617" "5921652" "5934792" "5950340" "5964518" "5996263" "6023869" "6042248" "6076294" "6079838" "6095673" "6123442" "6146006" "6158882" "6186645" "6193385" "6204899" "6283612" "6354714" "6361186" "6394623" "6582103" "6592238" "6637924" "6676284" "6948840" "6953262").PN. OR ("7008097").URPN.	US-PGPUB; USPAT; USOCR
146	BRS	71	("20030095399" "20030123245" "20030198049" "20040012956" "20050169002" "20050231950" "4111520" "4141058" "4298869" "4376946" "4422719" "4597033" "4607317" "4767172" "4785567" "4891896" "4976057" "4996632" "5057981" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5416679" "5418384" "5459955" "5475786" "5497440" "5526236" "5537297" "5588236" "5613751" "5618096" "5640792" "5694513" "5820246" "5842297" "5876107" "5879076" "5887968" "5913617" "5921652" "5934792" "5950340" "5964518" "5996263" "6023869" "6042248" "6076294" "6079838" "6095673" "6123442" "6146006" "6158882" "6186645" "6193385" "6204899" "6283612" "6354714" "6361186" "6394623" "6582103" "6592238" "6637924" "6676284" "6948840" "6953262").PN. OR ("7008097").URPN.	US-PGPUB; USPAT; USOCR
147	BRS	14	("3949350" "4267489" "5128843" "5420482" "5559681" "5570525" "5613763" "6211626" "6361186").PN. OR ("6676284").URPN.	US-PGPUB; USPAT; USOCR
148	BRS	10	((light transmit\$4) rod) with flexib\$5	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
149	BRS	53	((light transmit\$4) or transparent or clear) rod) with flexib\$5	US-PGPUB; USPAT; USOCR
150	BRS	84	((light transmit\$4) or transparent or clear) (rod or bar)) with flexib\$5	US-PGPUB; USPAT; USOCR
151	BRS	24	S150 and ((light source) or diod\$4 or bulb or lamp)	US-PGPUB; USPAT; USOCR
152	BRS	7	("4271458" "5113329" "6158882" "6361186" "6604841" "6652112").PN. OR ("6840655").URPN.	US-PGPUB; USPAT; USOCR
153	IS&R	1	("6592238").PN.	USPAT
154	BRS	59	("4111520" "4298869" "4376946" "4597033" "4607317" "4767172" "4785567" "4891896" "4976057" "4996632" "5057981" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5416679" "5459955" "5475786" "5497440" "5526236" "5537297" "5588236" "5613751" "5618096" "5640792" "5694513" "5842297" "5876107" "5879076" "5887968" "5921652" "5934792" "5950340" "5964518" "5996263" "6023869" "6042248" "6076294" "6079838" "6095673" "6123442" "6146006" "6158882" "6186645" "6193385" "6204899" "6283612" "6354714" "6361186" "6394623").PN. OR ("6592238").URPN.	US-PGPUB; USPAT; USOCR
155	BRS	55	("2703398" "3275818" "3411131" "3428941" "3551723" "3684882" "3755663" "3994049" "3995152" "4012671" "4107767" "4173035" "4177503" "4195330" "4263640" "4271458" "4365232" "4376966" "4471412").PN. OR ("4597033").URPN.	US-PGPUB; USPAT; USOCR
156	IS&R	1	("6673292").PN.	USPAT
157	BRS	43	("3463913" "3996556" "4173035" "4347499" "4376966" "4396972" "4439818" "4471412" "4581687" "4597033" "4761720" "4774434" "4860182" "4954931" "4999755" "5032960" "5059373" "5107408" "5130909" "5155669" "5162696" "5193895" "5222799" "5321593" "5335151" "5336345" "5337225" "5371657" "5390090" "5404282" "5414293" "5414603" "5418384" "5450301" "5490049" "5496427" "5519596" "5559681" "5848837" "5851455" "5927845" "5986581").PN. OR ("6673292").URPN.	US-PGPUB; USPAT; USOCR
158	IS&R	1	("4597033").PN.	USPAT

	Type	Hits	Search Text	DBs
159	BRS	55	("2703398" "3275818" "3411131" "3428941" "3551723" "3684882" "3755663" "3994049" "3995152" "4012671" "4107767" "4173035" "4177503" "4195330" "4263640" "4271458" "4365232" "4376966" "4471412").PN. OR ("4597033").URPN.	US-PGPUB; USPAT; USOCR
160	BRS	50	("3136676" "3161797" "3305745" "3350553" "3375131" "3395058" "3456043" "3547516" "4439818" "4597033" "4761720" "4774434" "4774642" "4916008" "4954931" "4956031" "4975814" "4999755" "5032960" "5059373" "5107408" "5130909" "5155669" "5162696" "5193895" "5222799" "5321593" "5336345" "5337225" "5371657" "5375044" "5404282" "5450301" "5490049" "5496427" "5519596" "5559681" "5661374" "5848837" "5851455" "5927845" "5986581").PN. OR ("6673293").URPN.	US-PGPUB; USPAT; USOCR
161	IS&R	1	("6676284").PN.	USPAT
162	BRS	14	("3949350" "4267489" "5128843" "5420482" "5559681" "5570525" "5613763" "6211626" "6361186").PN. OR ("6676284").URPN.	US-PGPUB; USPAT; USOCR
163	BRS	569	rod with flexible with (((light (conduct\$4 or transmitting)))) or transparent or clear)	US-PGPUB; USPAT; USOCR
164	BRS	2898	(rod or bar or panel) with flexible with (((light (conduct\$4 or transmitting)))) or transparent or clear)	US-PGPUB; USPAT; USOCR
165	BRS	0	S164 same (micro (balloons or bubbles))	US-PGPUB; USPAT; USOCR
166	BRS	0	S164 same (micro (balloons or bubbles))	US-PGPUB; USPAT; USOCR
167	BRS	33	S164 same (balloons or bubbles)	US-PGPUB; USPAT; USOCR
168	BRS	202	S164 and (circuit board)	US-PGPUB; USPAT; USOCR
169	BRS	93	S164 and (circuit board) and reflect\$4	US-PGPUB; USPAT; USOCR
170	BRS	837647	((light emit\$5 diod\$4) or "LED") or (point light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
171	BRS	42	S169 and S170	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
172	BRS	0	("2005/0036327").URPN.	USPAT
173	BRS	0	("2005/0036327").URPN.	USPAT
174	BRS	77	("20020093832" "4111520" "4195907" "4298 869" "4376946" "4422719" "4597033" "46073 17" "4767172" "4785567" "4891896" "490874 3" "4976057" "4996632" "5057981" "5140220 " "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5 5459955" "5475786" "5497440" "5526236" "5 559681" "5613751" "5982969" "6582103" "66 76284" "6676284" "6796680" "6846094" "685 1832").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
175	BRS	36	("20020093832" "4111520" "4195907" "4298869" "4376946" "4422719" "4597033" "4607317" "4767172" "4785567" "4891896" "4908743" "4976057" "4996632" "5057981" "5140220" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5459955" "5475786" "5497440" "5526236" "5559681" "5613751" "5982969" "6582103" "6676284" "6676284" "6796680" "6846094" "6851832").PN.	US-PGPUB; USPAT
176	BRS	545	362/555.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
177	BRS	10	362/189,225,555.ccls. and S164	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
178	BRS	44	362/217,495,544,545,103-106,108,331,134,152,198,219,222,224,227,240,326,327,235,236,246,478,310,329,800,812,806.ccls. and S164	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB